

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificat	te N	lo.:	
------------	------	------	--

IECEx LCI 09.0011U

issue No.:1

Certificate history: Issue No. 1 (2010-2-11) Issue No. 0 (2009-3-2)

Status:

Current

Date of Issue:

2010-02-11

Page 1 of 4

Applicant:

ATX

E.I.N.

35 Rue André Durouchez 80084 Amiens Cedex 2

France

Electrical Apparatus:

Operator heads type "TCe"

Optional accessory:

Type of Protection: e, tD

Marking:

A.T.X. - APPLETON

Address : ...
Type : TCe
Serial number : ...

Manufacturing year : ...
For gas: Ex e II
For dust: Ex tD A21 IP66

IECEx LCI 09.0011 U

Approved for issue on behalf of the IECEx

Certification Body:

Marc GILLAUX

Position:

Signature:

(for printed version)

Date:

Certification Manager

1. This certificate and schedule may only be reproduced in full.

2. This certificate is not transferable and remains the property of the issuing body.

3. The Status and authenticity of this certificate may be verified by visiting the Official IECEx Website.

Certificate issued by:

Laboratoire Central des Industries Electriques (LCIE) 33 Avenue du General Leclerc FR-92260 Fontenay-aux-Roses France





Certificate No.:

IECEx LCI 09.0011U

Date of Issue:

2010-02-11

Issue No.: 1

Page 2 of 4

Manufacturer:

ATX E.I.N.

35 Rue André Durouchez 80084 Amiens Cedex 2

France

Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

IEC 60079-0: 2004

Electrical apparatus for explosive gas atmospheres - Part 0: General requirements

Edition: 4.0

IEC 60079-7: 2006-07

Explosive atmospheres - Part 7: Equipment protection by increased safety "e"

Edition: 4

IEC 61241-0 : 2004 Edition: 1

Electrical apparatus for use in the presence of combustible dust - Part 0: General requirements

IEC 61241-1: 2004

Electrical apparatus for use in the presence of combustible dust - Part 1: Protection by

Edition: 1

enclosures "tD"

This Certificate does not indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in

Test Report:

FR/LCI/ExTR09.0010/00 FR/LCI/ExTR09.0010/01

Quality Assessment Report:

FR/LCI/QAR07.0008/00

FR/LCI/QAR07.0008/01

FR/LCI/QAR07.0008/02



Certificate No.:

IECEx LCI 09.0011U

Date of Issue:

2010-02-11

Issue No.: 1

Page 3 of 4

Schedule

EQUIPMENT:

Equipment and systems covered by this certificate are as follows:

The operator heads are intended to be assembled on Ex enclosure certified for the use.

TCe "Operator heads" range:

Indicator light,

- Plug head (blanking head),
- Push button,
- Push button (illuminated),
- Mushroom head emergency stop (push / pull),
- Mushroom head Ø 40mm push button,
- Rotary actuator.

Rail mounting or panel mounting (with adaptor).

Schedule of limitations:

The operating temperature limits are -40°C to +60°C.

Specific parameters of the mode(s) of protection concerned:

The operator heads protection against dust is based on the IP6X when they are assembled on a compatible box with similar or above IP level.

CONDITIONS OF CERTIFICATION: NO



Certificate No.:

IECEx LCI 09.0011U

Date of Issue:

2010-02-11

Issue No.: 1

Page 4 of 4

DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):

lssue 01 :

Adding of a padlock device